


Sub C1  
17. (new) Transparent polyol fin, polyester or polyamide article of claim 1 containing a sterically hindered amine as further stabilizer.


18. (new) Transparent polyolefin, polyester or polyamide article of claim 17 wherein the sterically hindered amine is selected from

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate,  
bis(2,2,6,6-tetramethyl-4-piperidyl)succinate,  
bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate,  
bis(1,2,2,6,6-pentamethyl-4-piperidyl) n-butyl-3,5-di-tert-butyl-4-hydroxybenzylmalonate,  
the condensate of 1-(2-hydroxyethyl)-2,2,6,6-tetramethyl-4-hydroxypiperidine and succinic acid,  
linear or cyclic condensates of N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)-hexamethylenediamine and 4-tert-octylamino-2,6-dichloro-1,3,5-triazine,  
tris(2,2,6,6-tetramethyl-4-piperidyl)nitritotriacetate,  
tetrakis(2,2,6,6-tetramethyl-4-piperidyl)-1,2,3,4-butanetetracarboxylate,  
1,1'-(1,2-ethanediyl)-bis(3,3,5,5-tetramethylpiperazinone),  
4-benzoyl-2,2,6,6-tetramethylpiperidine,  
4-stearyloxy-2,2,6,6-tetramethylpiperidine,  
bis(1,2,2,6,6-pentamethylpiperidyl)-2-n-butyl-2-(2-hydroxy-3,5-di-tert-butylbenzyl)malonate,  
3-n-octyl-7,7,9,9-tetramethyl-1,3,8-triazaspiro[4.5]decane-2,4-dione,  
linear or cyclic condensates of N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)hexamethylenediamine and 4-morpholino-2,6-dichloro-1,3,5-triazine,  
the condensate of 2-chloro-4,6-bis(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine and 1,2-bis(3-aminopropylamino)ethane,  
the condensate of 2-chloro-4,6-di-(4-n-butylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine and 1,2-bis(3-aminopropylamino)ethane,  
8-acetyl-3-dodecyl-7,7,9,9-tetramethyl-1,3,8-triazaspiro[4.5]decane-2,4-dione,  
3-dodecyl-1-(2,2,6,6-tetramethyl-4-piperidyl)pyrrolidine-2,5-dione,  
3-dodecyl-1-(1,2,2,6,6-pentamethyl-4-piperidyl)pyrrolidine-2,5-dione,  
a mixture of 4-hexadecyloxy- and 4-stearyloxy-2,2,6,6-tetramethylpiperidine,  
a condensate of N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)hexamethylenediamine and 4-cyclohexylamino-2,6-dichloro-1,3,5-triazine,

B' cont



B' cont



where n is mainly from the range 3-5;  
 sterically hindered hydroxylamine ethers, and mixtures of these compounds;  
 and contained in an amount of 0.01 to 6 % by weight of the polyolefin, polyester or polyamide.